

Physical Data

Length	Width	Height	Weight	
276 inches	98 inches	111.75 inches	12650	pounds
701 cm	249 cm	284 cm	5738	kilograms

Engine Specifications

Mfg.	Balder / GE	Model	
Fuel	NA	Engine Oil	NA
Volts	230/460/480	Rated Engine RPM	1800
Phase	3 PH	Rated Engine Output	25 HP
HZ	50/60 HZ		18.38 kW

Production Capability Data

Tire size range for bale production	Min = 13" car tire
	Max = half truck tire
Compaction Cycle Time	30 seconds
Average Weight of Tire Bale	2000 pounds/plus
	907 kilograms
Average Hourly Production	3 - 4 Tire Bales
Avg Hrly Production based on Tire Wgt	8000 pounds
	3628 kilograms

Design and specifications are subject to change without notice

Hydraulic System Operating Parameters

Hydraulic Oil Tank Capacity	70 gallons	Hydraulic Oil Specification	Dexron III High Temperature ATF
	265 litres		
Hydraulic System Operating Pressure (Pressure @ Punch Cylinder)	1900 PSI		
	13,100 kPa		

Standard Product Features

Manual tire loading	Manual Door Locks	Safety Hydraulic Override Limit Switch
5 Wire Bale Chamber	E-Stop	Operator Platform
HD Platen Assembly	6X54 Compression Cylinder	Bale Ejector Chains
70 Gallon Hydraulic Tank	HD Steel Hold-Down Fingers	

Recommended Spare Parts List

Description	Qty	Part #	Description	Qty	Part #
Hydraulic Filter	2	6804			
Hold Down Finger	5	6099			
Hold Down Spring	10	6100			

REUSE

REDUCE

RECYCLE

